

## PRESCRIPTION DRUG MEDICATION REQUEST FORM FAX TO 1-866-240-8123

PROVIGIL (MODAFINIL) PRIOR AUTHORIZATION FORM PATIENT INFORMATION					
Subscriber's ID Number			Subscriber's Grou	up Number	
Patient's Name		Phone		Date of Birth	
Address	City		State	Zip Code	
PRESCRIBER INFORMATION					
Physician's Name	NPI	Phone		Fax	
Address	City		State	Zip Code	
Suite / Building	Physician's Signature			Date	
MEDICATION INFORMATION					
Requested Drug:		Requested Str	ength:		
□ Brand Provigil □ Generic Modafinil □ 100mg □ 200m		)mg			
Diagnosis:			(	Quantity <b>per Month</b>	
	CLINICAL CR	ITERIA			
OBSTRUCTIVE SLEEP APNEA					
If the requested medication is bein	g used to treat obstructive sle	ep apnea, pleas	e answer the fo	ollowing:	
<ol> <li>Is the patient currently rec</li> <li>□ Yes □ No</li> </ol>	eiving and compliant with conti	nuous positive ai	rway pressure	(CPAP)?	
<ul> <li>Yes No</li> <li>Is the patient experiencing any of the following symptoms? Please select ALL that apply:</li> <li>Coronary artery disease</li> <li>Congestive heart failure</li> <li>Type 2 diabetes mellitus</li> <li>Unintentional sleep episodes during wakefulness</li> <li>Bed partner describes loud snoring, breathing interruptions or both</li> <li>Unrefreshing sleep</li> <li>Mood disorder</li> <li>Insomnia</li> <li>Cognitive dysfunction</li> <li>Atrial fibrillation</li> <li>Fatigue</li> <li>Daytime sleepiness</li> <li>Hypertension</li> <li>Stroke</li> <li>Waking up holding breath, gasping, or choking</li> </ul>					
3. Please provide the following from the patient's <b>diagnostic</b> polysomnography:					
Apnea/hypopnea index (A	HI) in events/hour:				

NARC	OLEPSY			
If the requested medication is being used to treat <b>narcolepsy</b> , please answer the following:				
1.	Please provide baseline data of the following:			
	Excessive daytime sleepiness (EDS) via the Epworth Sleepiness Scale (ESS):			
	Maintenance of Wakefulness Test (MWT):			
2.	Please provide the following results of the patient's multiple sleep latency test (MSLT):			
	Mean sleep latency (in minutes):			
	Number of sleep-onset rapid eye movement periods (SOREMPs):			
3.	Please provide the following from the patient's diagnostic polysomnography:			
	Number of sleep-onset rapid eye movement periods (SOREMPs):			
4.	If the patient has hypocretin-1 deficiency, please provide the following:			
	Cerebrospinal fluid hypocretin-1 level (in pg/mL):			
	Cerebrospinal fluid hypocretin-1 laboratory reference range:			
5.	Has the patient experienced therapeutic failure, contraindication, or intolerance to a generic CNS stimulant (e.g. dextroamphetamine, methylphenidate)?			
	-WORK SLEEP DISORDER equested medication is being used to treat <u>shift-work sleep disorder</u> , please answer the following:			
1.	Does the patient have excessive sleepiness or insomnia that is temporarily associated with a recurring work schedule that overlaps the usual time for sleep?			
2.	Are the patient's symptoms accompanied by a reduction of total sleep time? $\Box$ Yes $\Box$ No			
3.	Has the patient experienced symptoms for at least 3 months?			
4.	Does the patient have sleep log or actigraphy monitoring for at least 14 days including both work and free days?			
5.	Is the patient's sleep disturbance due to another current sleep disorder, medical or neurological disorder, mental disorder, medication use, or substance use disorder?			
MULTI	PLE SCLEROSIS			
If the patient has <b>multiple sclerosis</b> , please answer the following:				
1.	Is the patient experiencing significant fatigue?			
	□ Yes □ No			

IDIOP/	THIC HYPERSOMNIA
If the re	equested medication is being used to treat <i>idiopathic hypersomnia, please answer the following:</i>
1.	Please provide baseline data of the following:
	Excessive daytime sleepiness (EDS) via the Epworth Sleepiness Scale (ESS):
	Maintenance of Wakefulness Test (MWT):
2.	Please provide the following results of the patient's multiple sleep latency test (MSLT):
	Mean sleep latency (in minutes):
	Number of sleep-onset rapid eye movement periods (SOREMPs):
3.	Please provide the following from the patient's diagnostic polysomnography:
	Number of sleep-onset rapid eye movement periods (SOREMPs):
4.	Does the patient have a diagnosis of cataplexy?
5.	Does the patient have a polysomnography demonstrating total 24-hour sleep time greater than or equal to 660 minutes (11 hours)?
6.	Does the patient have wrist actigraphy demonstrating greater than or equal to 660 minutes (11 hours) of sleep per 24 hours averaged across at greater than or equal to 7 days of monitoring?
7.	Has the patient experienced therapeutic failure, contraindication, or intolerance to a plan-preferred generic CNS stimulant (e.g. methylphenidate)?
<u>QUAN</u>	ΓΙΤΥ
1.	Does the patient need more than 1 tablet per day of Provigil (Modafinil) 200mg?
	If YES:
	<ul> <li>a. Has the patient's daytime sleepiness been inadequately controlled on Provigil (Modafinil) 200mg daily?</li> <li>Yes</li> <li>No</li> </ul>
	<ul> <li>b. Has the patient's daytime sleepiness been inadequately controlled on Provigil (Modafinil) 200mg once daily in the morning?</li> <li>         Yes         <ul> <li>No</li> </ul> </li> </ul>

The submitting provider certifies that the information provided is true, accurate, and complete and the requested services are medically indicated and necessary to the health of the patient. Note: Payment is subject to member eligibility. Authorization does not guarantee payment.

## INSTRUCTIONS FOR COMPLETING THIS FORM

1. Submit a separate form for each medication.

2. Complete <u>ALL</u> information on the form.

NOTE: The prescribing physician (PCP or Specialist) should, in most cases, complete the form.

3. Please provide the physician address as it is required for physician notification.

4. Fax the <u>completed</u> form and all clinical documentation to 1-866-240-8123

Or mail the form to: Clinical Services,

120 Fifth Avenue, MC PAPHM-043B, Pittsburgh, PA 15222