

MEDICAL ASSISTANCE BULLETIN

ISSUE DATE

EFFECTIVE DATE

NUMBER

November 9, 2022

January 9, 2023

*See below

SUBJECT

Prior Authorization of Glucocorticoids, Oral – Pharmacy Services

BY

Sally A. Kozak, Deputy Secretary Office of Medical Assistance Programs

Sally a. Kozel

IMPORTANT REMINDER: All providers must revalidate the Medical Assistance (MA) enrollment of each service location every 5 years. Providers should log into PROMISe to check the revalidation dates of each service location and submit revalidation applications at least 60 days prior to the revalidation dates. Enrollment (revalidation) applications may be found at: https://www.dhs.pa.gov/providers/Providers/Pages/PROMISe-Enrollment.aspx.

PURPOSE:

The purpose of this bulletin is to issue updated handbook pages that include the requirements for prior authorization and the type of information needed to evaluate the medical necessity of prescriptions for Glucocorticoids, Oral submitted for prior authorization.

SCOPE:

This bulletin applies to all licensed pharmacies and prescribers enrolled in the Medical Assistance (MA) Program. The guidelines to determine the medical necessity of Glucocorticoids, Oral will be utilized in the fee-for-service and managed care delivery systems. Providers rendering services to MA beneficiaries in the managed care delivery system should address any questions related to the prior authorization of Glucocorticoids, Oral to the appropriate managed care organization.

BACKGROUND:

The Department of Human Services' (Department) Pharmacy and Therapeutics (P&T)

*01-22-61	09-22-60	27-22-48	33-22-58
02-22-45	11-22-45	30-22-51	
03-22-44	14-22-45	31-22-64	
08-22-69	24-22-53	32-22-45	

COMMENTS AND QUESTIONS REGARDING THIS BULLETIN SHOULD BE DIRECTED TO:

The appropriate toll-free number for your provider type.

Visit the Office of Medical Assistance Programs website at https://www.dhs.pa.gov/providers/Providers/Pages/Health%20Care%20for%20Providers/Contact-Information-for-Providers.aspx.

Committee reviews published peer-reviewed medical literature and recommends the following:

- Preferred or non-preferred status for new drugs and products in therapeutic classes already included in the Preferred Drug List (PDL).
- Changes in the status of drugs and products on the PDL from preferred to nonpreferred and non-preferred to preferred.
- New quantity limits.
- Therapeutic classes of drugs and products to be added to or deleted from the PDL.
- New guidelines or revisions to existing guidelines to evaluate the medical necessity of prescriptions submitted for prior authorization.

DISCUSSION:

During the September 13, 2022, meeting, the P&T Committee recommended the following revisions to the guidelines to determine medical necessity of Glucocorticoids, Oral:

- Addition of a guideline for non-preferred Glucocorticoids, Oral that the beneficiary is prescribed the Glucocorticoid, Oral for the treatment of a diagnosis that is indicated in the U.S. Food and Drug Administration (FDA)-approved package labeling or a medically accepted indication.
- Addition of a guideline for non-preferred Glucocorticoids, Oral that the beneficiary is prescribed a dose and duration of therapy that are consistent with FDA-approved package labeling, nationally recognized compendia, or peer-reviewed medical literature.
- Revision of the guideline for non-preferred Glucocorticoids, Oral related to the therapeutic failure of or a contraindication or an intolerance to the preferred Glucocorticoids, Oral to consider the beneficiary's diagnosis.

The revisions to the guidelines to determine medical necessity of prescriptions for Glucocorticoids, Oral submitted for prior authorization, as recommended by the P&T Committee, were subject to public review and comment and subsequently approved for implementation by the Department.

PROCEDURE:

The procedures for prescribers to request prior authorization of Glucocorticoids, Oral are located in SECTION I of the Prior Authorization of Pharmaceutical Services Handbook. The Department will take into account the elements specified in the clinical review guidelines (which are included in the provider handbook pages in the SECTION II chapter related to Glucocorticoids, Oral) when reviewing the prior authorization request to determine medical necessity.

As set forth in 55 Pa. Code § 1101.67(a), the procedures described in the handbook pages must be followed to ensure appropriate and timely processing of prior authorization requests for drugs and products that require prior authorization.

ATTACHMENTS:

Prior Authorization of Pharmaceutical Services Handbook - Updated pages

RESOURCES:

Prior Authorization of Pharmaceutical Services Handbook – SECTION I
Pharmacy Prior Authorization General Requirements
https://www.dhs.pa.gov/providers/Pharmacy-Services/Pages/Pharmacy-Prior-Authorization-General-Requirements.aspx

Prior Authorization of Pharmaceutical Services Handbook – SECTION II Pharmacy Prior Authorization Guidelines https://www.dhs.pa.gov/providers/Pharmacy-Services/Pages/Clinical-Guidelines.aspx

MEDICAL ASSISTANCE HANDBOOK PRIOR AUTHORIZATION OF PHARMACEUTICAL SERVICES

I. Requirements for Prior Authorization of Glucocorticoids, Oral

A. Prescriptions That Require Prior Authorization

Prescriptions for Glucocorticoids, Oral that meet any of the following conditions must be prior authorized:

- 1. A non-preferred Glucocorticoid, Oral. See the Preferred Drug List (PDL) for the list of preferred Glucocorticoids, Oral at: https://papdl.com/preferred-drug-list.
- A Glucocorticoid, Oral with a prescribed quantity that exceeds the quantity limit. The list of drugs that are subject to quantity limits, with accompanying quantity limits, is available at: https://www.dhs.pa.gov/providers/Pharmacy-Services/Pages/Quantity-Limits-and-Daily-Dose-Limits.aspx.

B. Review of Documentation for Medical Necessity

In evaluating a request for prior authorization of a prescription for a Glucocorticoid, Oral, the determination of whether the requested prescription is medically necessary will take into account whether the beneficiary:

- 1. For a non-preferred Glucocorticoid, Oral, **all** of the following:
 - a. Is prescribed the Glucocorticoid, Oral for a diagnosis that is included in the U.S. Food and Drug Administration (FDA)-approved package labeling OR a medically accepted indication.
 - b. Is prescribed a dose and duration of therapy that are consistent with FDA-approved package labeling, nationally recognized compendia, or peer-reviewed medical literature,
 - Has a history of therapeutic failure of or a contraindication or an intolerance to the preferred Glucocorticoids, Oral approved or medically accepted for the beneficiary's diagnosis

AND

2. If a prescription for a Glucocorticoid, Oral is for a quantity that exceeds the quantity limit, the determination of whether the prescription is medically necessary will also take into account the guidelines set forth in the Quantity Limits Chapter.

NOTE: If the beneficiary does not meet the clinical review guidelines listed above but, in the professional judgment of the physician reviewer, the services are medically necessary to meet the medical needs of the beneficiary, the request for prior authorization will be approved.

C. Clinical Review Process

Prior authorization personnel will review the request for prior authorization and apply the

MEDICAL ASSISTANCE HANDBOOK PRIOR AUTHORIZATION OF PHARMACEUTICAL SERVICES

clinical guidelines in Section B. above to assess the medical necessity of a prescription for a Glucocorticoid, Oral. If the guidelines in Section B. are met, the reviewer will prior authorize the prescription. If the guidelines are not met, the prior authorization request will be referred to a physician reviewer for a medical necessity determination. Such a request for prior authorization will be approved when, in the professional judgment of the physician reviewer, the services are medically necessary to meet the medical needs of the beneficiary.

D. References

- TARPEYO [package insert]. Stockholm, Sweden: Calliditas Therapeutics AB.; December 2021.
- 2. Cattran DC, Appel GB, Coppo R. IgA nephropathy: Treatment and prognosis. In: UpToDate [internet database]. Glassock RJ, Fervenza FC, eds. Waltham, MA: UpToDate Inc. Updated July 25,2022. Accessed July 28, 2022.
- 3. Fellström BC, Barratt J, Cook H, et al. Targeted-release budesonide versus placebo in patients with IgA nephropathy (NEFIGAN): a double-blind, randomised, placebo-controlled phase 2b trial. Lancet 2017.